BA-160/GPS

Covert Antenna

DESCRIPTION

- Highly flexible covert coax antenna with silica fibre sleeving.
- ½ λ skirt dipole antenna.
- Covert flexible body antenna, supporting free movement.
- Highest quality materials in an elegant design.
- Also useable for GPS reception.






ORDERING DESIGNATIONS

TYPE	PRODUCT NO.
BA-160/GPS	140000434

SPECIFICATIONS

FLECTRICAL	
ELECTRICAL	
MODEL	BA-160/GPS
ANTENNA TYPE	½ λ antenna
FREQUENCY	150 - 170 MHz
IMPEDANCE	Nom. 50 Ω
POLARIZATION	Vertical
GAIN	6 dBi
BANDWIDTH	≥ 20 MHz @ SWR ≤ 2.5
SWR	< 2.5 when mounted in coat collar
MAX. POWER	25 W
MECHANICAL	
MATERIALS	Coax cable with silica fibre sleeving
COLOUR	White
TOTAL HEIGHT	860 mm
WEIGHT	Approx. 232 g
CONNECTOR	SMA (male)
MOUNTING	Attached to clothing with two safety pins

TYPICAL SWR CURVE:





PROCOM France S.A.R.L. se réserve le droit d'améliorer les spécifications sans préavis. 03/02/15